

swf

STEEL WINDOW FITTINGS



Stays & Accessories Range




Available in different sizing to fit a range of windows, Steel Window Fittings have designed their peg stays and slide stays with security and style in mind.

Peg Stays	● ————— ●	Pages 4 - 9
Slide Stays	● ————— ●	Pages 10 - 15
Brackets and Accessories	● ————— ●	Pages 16 - 23

swf

STEEL WINDOW FITTINGS





Peg Stays

Strong and durable, SWF peg stays are created to suite seamlessly with our window handle ranges.

Pages 16 - 23 have accessories and brackets to fit our stays depending on your window's type.





B375 Curved Classic Pegstay

PRODUCT FEATURES & TECHNICAL INFORMATION


- Traditionally fitted on steel windows, however can also be fitted on timber frame (when used with timber frame accessories)
- Available in 2 sizes —150mm or 200mm
- Easy fixing which allows different configurations to suit application *refer to our B375 fixing brackets, pins and configuration pages for various options*
- Available in several finishes or matching RAL finish on request
- Complimentary window handle designs available
- Complimentary door handles and escutcheons available for suited look



B375200



B375150



Dimensions



B395 Straight Classic Pegstay

PRODUCT FEATURES & TECHNICAL INFORMATION

- Traditionally fitted on steel windows, however can also be fitted on timber frame (when used with timber frame accessories)
- Available in 3 sizes— 150mm, 200mm, 250mm
- Easy fixing which allows different configurations to suit application *refer to our B375 fixing brackets, pins and configuration pages for various options*
- Available in several finishes or matching RAL finish on request
- Complimentary window handle designs available
- Complimentary door handles and escutcheons available for suited look




B395250



B395200



B395150



Dimensions



B400 Monkey Tail Peg Stay

PRODUCT FEATURES & TECHNICAL INFORMATION


- Traditionally fitted on steel windows, however can also be fitted on timber frame (when used with timber frame accessories)
- Available in 2 sizes—150mm or 200mm
- Easy fixing which allows different configurations to suit application *refer to our B375 fixing brackets, pins and configuration pages for various options*
- Available in several finishes or matching RAL finish on request
- Complimentary MP400 window handle design available
- Complimentary door handles and escutcheons available for suited look



B400200




B400150



Dimensions



STEEL WINDOW FITTINGS



The logo consists of the lowercase letters 'swf' in a bold, sans-serif font, enclosed within a light green square border.


STEEL WINDOW FITTINGS

Slide Stays

Choose from a butterfly or knurled knob to secure your slide stays. These allow for your window's opening to be adjusted with ease.

Available in two sizes to fit a range of window dimensions.

For timber windows, see page 15.






PRODUCT FEATURES & TECHNICAL INFORMATION

- Classic and elegant slide stay
- Butterfly or knurled knob secures the stay and window in desired position
- Restrictor device for added security & safety with different positions available
- Available in 2 sizes 250mm/190mm or 300mm/240mm
- Brackets supplied for standard side hung outward opening applications
- *For inward opening or top hung windows please contact us to discuss configuration Options*
- Suitable for M5 countersunk fixing screws
- Available in several finishes or matching RAL finish on request
- Complimentary window handle designs available
- Complimentary door handles and escutcheons available for suited look

B59 Classic Slide Stay—Butterfly



Dimensions



PRODUCT FEATURES & TECHNICAL INFORMATION

- Classic and elegant single arm slide stay
- Butterfly or knurled knob secures the stay and window in desired position
- Restrictor device for added security & safety with different positions available
- Available in 2 sizes 250mm or 300mm
- Brackets supplied for standard side hung outward opening applications
For inward opening or top hung windows please contact us to discuss configuration options
- Suitable for M5 countersunk fixing screw
- Available in several finishes or matching RAL finish on request
- Complimentary window handle designs available
- Complimentary door handles and escutcheons available for suited look


B59S Classic Single Arm Slide Stay



B59S



B59SKN



Dimensions



**T59S Classic Single Arm Slide Stay—
Butterfly or Knurled Knob**



T59S




T59SKN

MP920N12 – Non Locking

MP920K12- Key Locking

PRODUCT FEATURES & TECHNICAL INFORMATION

- Classic and elegant single arm slide stay designed for windows positioned within a timber frame or timber window and frame
- Butterfly or Knurled knob secures the stay and window in any desired position
- Restrictor device for added security & safety with different positions available
- Available in 2 sizes 250mm or 300mm
- Brackets supplied for standard side hung outward opening applications
- *For inward opening or top hung windows please contact us to discuss configuration options*
- Suitable for M5 countersunk fixing screws
- Available in several finishes or matching RAL finish on request
- Complimentary window handle designs available
- Complimentary door handles and escutcheons available for suited look



Dimensions with Standard Drive Blade

swf

STEEL WINDOW FITTINGS





Brackets & Accessories

Complete your peg stay or slide stay set up with durable fixing brackets, pins and accessories in matching finishes.

Find timber window accessories on page 23.









PRODUCT FEATURES & TECHNICAL INFORMATION

- Use with B375, B395 and B400 series of peg stays
- B375FB Fixing Bracket attaches the pegstay to the window, available in 3 sizes
- Use B375FBIG Fixing Bracket for inside glazed windows
- B375RST Peg Stay Rest attaches to the frame of the window and is used to hold the peg stay window securely closed or simply acts as a rest for the peg stay.
- Use with 'Through Hole', 'Side Hung' or 'Back of Stay' range of pins
- Easy fixing allows various set up for pegstay configurations to suit application
- Suitable for M5 countersunk fixing screws
- Available in several finishes or matching RAL finish on request


B375 Peg Stay Fixing Brackets and Rest




B375FB - Fixing Bracket




B375FBIG - Fixing Bracket Inside Glaze




B375RST - Stay Rest



B375FB03



B375FB05




B375FB07




PRODUCT FEATURES & TECHNICAL INFORMATION

- Use with B375, B395 and B400 series of peg stays
- B375THPB is used to hold the window securely open in desired position, when the window is closed, it is held tightly shut
- B375LTHPB performs in the same way as B375THPB however enhances security by acting as a locking point as the peg stay is released with a key
- B375THPS is used to hold the window securely open in desired position, when window is closed, it is held tightly shut
- B375SHPB can be used for side hung windows where compression is not required to hold window tightly shut in closed position
- Easy fixing allows various set up for pegstay configurations to suit application
- Suitable for M5 countersunk fixing screws
- Available in several finishes or matching RAL finish on request


B375 Peg Stay Pins




B375THPB – Through Hole Pin



B375LTHPB - Locking Through Hole Pin



B375SHPB – Side Hung Pin




B375THPS – Back of Stay Pin




PRODUCT FEATURES & TECHNICAL INFORMATION

- Use with B375, B395 and B400 series of peg stays
- V Brackets are fixed to the moving part of windows
- B375VPB and/or B375VRST is used to hold the window tightly and securely closed when used with a B375 Pin Bracket
- B375VRST can also be used simply as a rest for the peg stays
- B375VLPB performs in the same way as B375VPB however enhances security by acting as a locking point as the peg stay is released with a key
- B375SP is a 2mm spacer which can be used on all V peg stay brackets
- Easy fixing allows various set up for pegstay configurations to suit application
- Suitable for M5 countersunk fixing screws
- Available in several finishes or matching RAL finish on request


B375 V Peg Stay Pins




B375VPB – Through Hole Pin



B375VLPB – Locking Through Hole Pin



B375VRST – Peg Stay Rest



B375SP – Peg Stay Bracket Spacer




PRODUCT FEATURES & TECHNICAL INFORMATION

- Traditional peg stay accessories made from mild steel
- Use with B375, B395 and B400 series of peg stays
- S375FB Fixing Bracket attaches the pegstay to the window, available in 3 sizes •
- S375THPB is used to hold the window securely open in desired position, when the window is closed, it is held tightly shut
- S375RST Peg Say Rest attaches to the frame of the window and is used to hold the peg stay window securely closed or simply acts as a rest for the peg stay.
- Easy fixing allows various set up for pegstay configurations to suit applications
- Features 2 fixing rivets and requires a suitable finish to be applied, *this are normally attached to the window during preparation stages*



S375 Peg Stay Fixing Brackets, Pin and Rest




S375THPB - Pin Bracket




S375FB - Fixing Bracket



S375FB03




S375FB05



S375FB07



S375RST - Stay Rest





Peg Stay Accessories – Timber Windows

PRODUCT FEATURES & TECHNICAL INFORMATION




- Timber fixing brackets for use with B375, B395 and B400 series of peg stays
- Use in conjunction with standard B375FB03 peg stay fixing bracket
- T375RP03 Combines Rest and Through Hole operation
- T375PIN07 is used to hold the window securely closed
- Easy fixing allows various set up for pegstay configurations to suit application
- Suitable for M5 countersunk fixing screws
- Available in several finishes or matching RAL finish on request



T375PIN07 – Pin Bracket



T375TRP03 – Rest Pin



Dimensions Inward Opening In 4 hole Backplate

B646NOSEOI & 2 Connectors

B195K09FTROI – Key Locking with Connectors

swf

STEEL WINDOW FITTINGS





Steel Window Fittings

Steel Window Fittings LTD,
Unit 5, Bridge Business Park,
Horsehay, Shropshire, TF4 3EE

Info@steelwindowfittings.com

+44 (0) 1952 794054

+44 (0) 1952 794154

steelwindowfittings.com

This Catalogue supersedes all previous issues and can be subject to change without any prior notification. With our continuous product development we reserve the right to make modifications to our products which may include but not limited to specification, dimension and configuration changes without prior notice. This Catalogue is designed to provide you with useful information and pictures as guidance to help you choose the right products for your application. Whilst every care is taken to ensure accuracy of information contained at time of publication please note error & omissions expected (E&OE)

Co. Reg No: 7614370 England

VAT Reg No: GB 114 4647 30